



# MATERIAL SAFETY DATA SHEET

Schnee-Morehead<sup>®</sup>, Inc.

## SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME** : SM2102  
**PRODUCT CODE** : SM2102  
**DESCRIPTION** : Cura Sil<sup>®</sup> Part B  
**MANUFACTURER'S NAME** : Schnee-Morehead, Inc.  
**STREET ADDRESS** : 111 North Nursery Road, Irving, Texas  
**INFORMATION PHONE** : 972-438-9111 **EMERGENCY PHONE** : 800-424-9300

## SECTION 2 - HAZARDS IDENTIFICATION

**APPEARANCE / ODOR** : Black, odorless paste

Repeated or prolonged contact may cause irritation to the eyes, skin and reparatory tract. May be harmful if ingested.

The carbon black in the formulation is completely wetted out and therefore poses no health hazard as a dust.

## SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

<b>HAZARDOUS COMPONENTS</b>	<b>CAS NUMBER</b>	<b>PERCENT (WGT)</b>
Butyl Benzyl Phthalate	85-68-7	10 - 40
Carbon Black, Amorphous	1333-86-4	< 1
Toluene	108-88-3	< 4

## SECTION 4 - FIRST AID MEASURES

**EYE CONTACT** : Flush with plenty of water for at least 15 minutes. Get medical attention ir irritation develops.  
**SKIN CONTACT** : Wash affected area with soap and water. Immediately remove containinated clothing and shoes. Get medical attention if irritation develops.  
**INHALATION** : Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.  
**INGESTION** : DO NOT INDUCE VOMITTING. get medical attention.

**NOTES TO PHYSICIANS** : None

## SECTION 5 - FIRE AND EXPLOSION HAZARD DATA

**EXTINGUISHING MEDIA** : All extinguising media are suitable.

**SPECIAL FIREFIGHTING PROCEDURES** : Firefighters should be wquipped with self-contained berathing apparatus to protect against potentially toxic and irritating fumes. Use cold water spray to cool fire exposed containers to minimize risk of rupture.

**UNUSUAL FIRE AND EXPLOSION HAZARD** : Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.

## SECTION 6 - ACCIDENTAL RELEASE MESURES

**PERSONAL PRECAUTIONS** : Cleanup personnel must use appropriate personal protective equipment.

**ENVIRONMENTAL PRECAUTIONS** : Avoid contamination of the soil, avoid drain-off in the sewage, drainpipes and surface water.

**METHODS FOR CONTAINMENT** : Dike or dam spilled material and control further spillage, if possible. Cover spill with inert material (e.g. dry sand or earth) and collect for porper disposal.



# MATERIAL SAFETY DATA SHEET

## Schnee-Morehead<sup>®</sup>, Inc.

**METHODS FOR CLEAN-UP :** Wash spill area with water. Collect water for approved disposal.

**OTHER INFORMATION :** None.

### SECTION 7 - HANDLING AND STORAGE

**HANDLING :** Avoid open flame, sparks and heat. Avoid breathing vapor or mist. Avoid contact with skin or clothing. Avoid contact with the eyes. Use only with adequate ventilation/personal protection. Wash thoroughly after handling. Keep container closed when not in use.

**STORAGE :** Store in a cool, dry place. Store in original containers.

### SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

**COMPONENT EXPOSURE LIMITS :**

Butyl Benzyl Phthalate - Not established

Carbon Black (dust) - OSHA TWA = 3.5 mg/m<sup>3</sup>; ACGIH TWA = 3.5 mg/m<sup>3</sup>

Tolunene - OSHA TWA = 200 ppm; NIOSH TWA = 100 ppm, 375 mg/m<sup>3</sup>; ACGIH TWA = 50 ppm, 188 mg/m<sup>3</sup>

**ENGINEERING CONTROLS:** Use local and general exhaust ventilation to control levels of exposure.

**EYE/ FACE PROTECTION:** Chemical safety goggles or safety glasses with side shields.

**SKIN PROTECTION:** Use permeation resistant gloves. Wear cloth work clothing including long pants and long-sleeved shirts.

**RESPIRATORY PROTECTION:** If needed, a NIOSH approved air purifying respirator with organic vapor cartridges and particulate prefilter can be used.

**GENERAL HYGIENE:** Emergency showers and eye wash stations should be available. After use wash hands before eating, drinking or using tobacco products. Use good hygiene practices.

### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE:** Black paste

**ODOR:** odorless

**PHYSICAL STATE:** Paste

**VAPOR PRESSURE:** N.A.

**VAPOR DENSITY:** N.A.

**BOILING POINT:** N.A.

**MELTING POINT:** N.A.

**SOLUBILITY (H2O):** Slightly Soluable

**Ph:** N.A.

**SPECIFIC GRAVITY:** 1.52

**PERCENT NONVOLATILE:** >96%

**VOC:** 42.95 g/l

**FLASH POINT (METHOD):** 90°F (32°C)

**UPPER LIMIT:** N.A.

**LOWER LIMIT:** N.A.

### SECTION 10 - STABILITY AND REACTIVITY

**CHEMICAL STABILITY:** Stable

**CONDITIONS TO AVOID:** Avoid high heat

**INCOMPATIBLE MATERIALS:** Oxidizing agents

**HAZARDOUS DECOMPOSTION PRODUCTS:** Thermal decomposition may produce toxic fumes or carbon monoxide and/or carbon monoxide.

**POSSIBILITY OF HAZARDOUS REACTIONS:** None known.



# MATERIAL SAFETY DATA SHEET

Schnee-Morehead<sup>®</sup>, Inc.

## SECTION 11 - TOXICOLOGICAL INFORMATION

**ACUTE AND CHRONIC EFFECTS:**

Not established

**COMPONENT ANALYSIS – LD50/LC50:**

Butyl Benzyl Phthalate Acute Oral LD50 = >2000 mg/kg (rat)  
Acute Dermal LD50 = >5000 mg/kg (rabbit)

**CARCINOGENICITY:** NTP: No IARC: No OSHA REGULATED: Yes

**OTHER TOXICOLOGICAL INFORMATION:**

None known

## SECTION 12 - ECOLOGICAL INFORMATION

**GENERAL:**

Butyl Benzyl Phthalate is considered a marine pollutant.

**COMPONENT ANALYSIS:**

Butyl Benzyl Phthalate Biodegradation: Aerobic,>70%, exposure time = 28 days, readily biodegradable.

## SECTION 13 - DISPOSAL CONSIDERATIONS

**WASTE NUMBER AND DESCRIPTION:**

Not established

**DISPOSAL INSTRUCTIONS:**

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

## SECTION 14 - TRANSPORTATION INFORMATION

**PROPER SHIPPING NAME / DESCRIPTION:**

Not applicable / Not required

**OTHER INFORMATION:**

None

## SECTION 15 - REGULATORY INFORMATION

The components of this product are on the TSCA inventory.

US EPA CERCLA Hazardous Substances (40CFR302);  
Butyl Benzyl Phthalate RQ=100lbs.  
Toluene RQ=1000lbs.

California Proposition 65: This product contains the following substance(s) known to the state of California to cause cancer: TOLUENE

## SECTION 16 - OTHER INFORMATION

**DATE PREPARED:** March 10, 2010

**SUPERCEDES DATE:**  
March 6, 2007

**HMIS: HEALTH:** 1 **FIRE:** 2 **REACTIVITY:** 1 **PERSONAL PROTECTION:** C

0 = Minimal hazard, 1 = Slight hazard, 2 = moderate hazard, 3 = Severe hazard, 4 = Extreme hazard



# MATERIAL SAFETY DATA SHEET

## Schnee-Morehead<sup>®</sup>, Inc.

### **KEY / LEGEND:**

*N/A = Not Applicable, N.A. = Not Available, N.D. = Not Determined, N/E = Not established, UNK = Unknown*

*This document may be used to comply with OSHA's Hazardous Communication Standard, 29 CFR 1910.1200.*

*A MSDS such as this cannot be expected to cover all possible individual situations. The end user of this product has the responsibility to provide a safe workplace. All aspects of an individual operation should be examined to determine if, or where, precautions – in addition to those described herein – are required. Any health and safety information contained herein should be passed on to your customers and/or employees.*

*The opinions expressed herein are those of qualified experts within Schnee-Morehead<sup>®</sup>, Inc. We believe that the information contained herein is current as of the date of this Material Safety Data Sheet. Since the use of this information and the use of this product are not within the control of Schnee-Morehead<sup>®</sup>, Inc., final determination of suitability of this product is the sole responsibility of the user. It is the responsibility of the user to comply with all applicable Federal, State and Local laws and regulations.*